




**City of Milpitas
Building and Safety Department**

Mailing Address: 455 East Calaveras Boulevard, Milpitas, California
95035-5479 – Tel. 408.586.3240, Fax 408.586.3285
www.ci.milpitas.ca.gov

**POSTING OF PROTECTED ZONE
IN INTERMEDIATE AND SPECIAL
STEEL MOMENT-RESISTING
FRAMES**

| | |
|----------------------------|--|
| Policy: | BDP-BLG13 |
| Effective Date: | 11/12/2009 |
| Proposed by: | OC |
| Last Reviewed/ Revised: | 3/24/2014 |
| Reviewed/ Revised by: | BYC/LS |
| Approved By: | Keyvan Irannejad P.E. Chief Building Official |

Pursuance to sections D1.3, E2.5c, E3.5c, F2.5c, F3.5c & F4.5c of ANSI/AISC 341-10, Seismic Provisions for Structural Steel Buildings, posting at the protected zone of special, intermediate moment-resisting steel frames, special concentrically braced frames (SCBF), eccentrically braced frames (EBF) and buckling restrained braced frames (BRBF) is enforced. See attached sketch 1 for details for moment frames and refer to corresponding sections in ANSI/AISC 341-10 for SCBF, EBF & BRBF.




NOTICE:

CONNECTIONS THAT PENETRATE STEEL SURFACE, INCLUDING BOLTS, HOLES, SCREWS, SHOT PINS, WELDS, AND TACK WELDS (PERMANENT OR TEMPORARY) ARE PROHIBITED WITHIN THE REGION SHOWN WITH YELLOW STRIPES. IT IS A VIOLATION OF THE CODE TO MAKE SUCH CONNECTIONS IN THIS REGION.

BEFORE INSTALLING
READ THIS NOTICE:

POSTED (INSERT DATE)
DO NOT REMOVE THIS TAG



| | | | |
|------|------|-----|----------------|
| REV. | DATE | BY: | SCALE: |
| | | | N.T.S. |
| | | | DATE: |
| | | | NOV 2009 |
| | | | DRAWN BY: |
| | | | BYC |
| | | | REVIEWED BY: |
| | | | KI/LS/OC/GA/BK |

City of Milpitas

Building & Safety Department

POLICY FOR POSTING OF PROTECTED ZONE IN INTERMEDIATE AND SPECIAL STEEL MOMENT-RESISTING FRAMES

SHEET
1
OF 1 SHEETS